

WALL-VERN PRODUCTS

Entry Door Systems





TABLE OF CONTENTS

Smooth & Woodgrain Fiberglass Doors & Fire Rated---Features & Benefits	3
Premium (SD) Series Steel Edge Door - Features & Benefits	4
Pro (WV) Series Steel Edge Door-Features & Benefits	5
Factory Prefinished White (TT) Series Wood Edge Door-Features & Benefits	6
Primed (CD & CK) Series Wood Edge Doors	7
Dura Frame, PF Composite and Dura Tech Door Jambs	8
Frontline Aluminum Clad Entry Door Frames	9
Paint Color Options	10
Stain color options and Tru-Loc Anchors for painted and stained doors	11
Trilenium 3-Point Locking Systems	12
PanoLock Multi-point locking System	13
Rustic Series Fiberglass Doors & Knotty Alder Fiberglass Doors	14
Woodgrain and Smooth Fiberglass Craftsman Collection	15
Steel, Fir Grain, & Smooth Fiberglass Shaker Doors	16
Fir Grain Framed Craftsman Fiberglass doors	18
Decorative Glass Families	
Avenue Patina Collection	19
Celeste Patina Collection	20
Chanelle Patina Collection	21
Distance Frost V-Groove Collection	22
Dorian Black Aluminum Patina Collection	23
Echo Silkscreen Collection	24
Landscape Zinc Collection	25
Onyx Patina Collection	26
Portrait Patina Collection	27
Pure Silkscreen Collection	28
Summit Silkscreen and Black Silkscreen Collection	29
Villano Patina Collection	30
Frontline Aluminum SDL Grills	31
Blanca & Micro-Granite Low-E Glass Collection	32
Rain And Vapor Low-E Glass Collection	33
Low-E Blanca With SDL Lites	34
Low-E Micro-Granite With SDL Lites	35
Low-E Rain With SDL Lites	36
Low-E Vapor With SDL Lites	37
Solid Doors, Flush Doors & External Grill Collection	38
Embossed Clear Glass with External Grills	39
White GBG Grills & Prairie GBG Grills	40
Low-E Black GBG Grills & Two Tone White and Black GBG Grills	41
Low-E Simulated Divided Lites & Low-E Mini Blinds	42
Patio Door Systems	43
Patio Doors Specifications	44
Homeowners Remodelers Series	45
Fire Door Systems	46
Entry Door Specifications	47

Smooth & Woodgrain Fiberglass Doors & Fire Rated

FIBERGLASS REINFORCED DOOR SKINS **1**

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stained, and we provide a variety of graining options.

FULL LENGTH COMPOSITE STILES **2**

Our full-length composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

COMPOSITE TOP & BOTTOM RAILS **3**

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

EXTENDED LOCK BLOCK **4**

The full length LVL allows any type of lock to be placed for increased security.

POLYURETHANE FOAM CORE **5**

Our advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.



BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Our products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.

Features & Benefits 20-Minute Fire Rated Fiberglass Doors

Available in Woodgrain, Smooth, & Fir Grain Along with Shaker Style



Call for availability on all Styles, Sizes, and Lead Times



Perma-Door Premium (SD) Series Steel Entry Doors

Perma-Door Premium Steel Doors... for strength, security & durability



Won't crack, warp, twist, or rot!
Unique all-steel edge perimeter
Excellent for use as "double door" system.
Insulated with an energy saving
core of polyurethane foam

Steel Edge Construction & Polyurethane Insulation

Choose from either an in or outward swing

All doors come fully equipped with Perma-Door's unique adjustable 12-gauge hinge plate system

22-gauge hot-dipped galvanized steel & all-steel edge for durability

Security Rating Grade 40

— Best in the Industry.

R-Value of 13

Ball-Bearing Hinges

— Standard on all Premium Series Doors

Protective Sill Covers

— Standard on all Premium Series Inswing Doors

Fire Rating

— Solid doors carry a 20 minute fire rating.

Unsurpassed Warranty


— All Perma-Door Premium Series Doors carry a limited lifetime warranty.

Perma-Door Extra Features, Extra Benefits:

Highest Security Rating



All Perma-Door steel edge doors do not force open after 7 hits of a 100 lb. test weight for a Grade 40 Security Rating. The best in the industry.



A wood edge steel door cracks under force of one hit of a 100 lb test weight.

Composite Lock Block



Lock Block

- Uses a composite lock block for tremendous strength & security
- Full 4"x10" block has more screw holding power than wood
- Makes installation of locksets easy
- Remains flat around lock-block no distortion of door skin typically found with wood lock blocks.

Adjustable Hinges



Perma-Door Exclusive Hinge Plate

Perma-Door Pro (WV) Series Steel Entry Doors



Pro-Series Steel Edge Door Features:

- 24-gauge hot-dipped galvanized steel for rust protection and durability.
- All-steel two-piece unitized construction - no wood to warp, bow or rot.
- Composite lock block for strength and easy installation of locksets.
- Polyurethane core completely fills the door - no foam voids plus R-value of 13, more than four times that of a wood door!
- 20-gauge fixed steel hinge reinforcements - keeps door from sagging.
- 4" residential ball bearing hinges.
- Baked-on polyester primer accepts exterior grade latex paints.
- 20 minute fire rating on solid door.
- Limited lifetime warranty.



Steel Edge



Composite Lock Block

Factory Prefinished White (TT) Series Wood Edge Steel Doors



Factory Prefinished White Wood Edge Steel Doors

DURABILITY: Top quality 24-gauge galvanized construction offers superior durability and tested performance.

SECURITY: Solid 12" wood lock block reinforcement ensures that cylindrical hardware is mounted securely.

HIGH PROFILE: Door features high definition embossment.

WOOD EDGE: Solid wood perimeter with J bend on steel provides strength.

INSULATION: Polyurethane foam fully insulates the door behind the embossments.

HINGES: 4" Residential ball bearing hinges

FIRE RATINGS: 20-minute fire rating.

WARRANTY: 10-year limited warranty.

Primed Wood Edge (CD & CK) Series Steel Entry Doors



Prime Wood Edge Steel Doors

- DURABILITY:** Top quality 24-gauge galvanized construction offers superior durability and tested performance.
- SECURITY:** Solid 12" wood lock block reinforcement ensures that cylindrical hardware is mounted securely.
- HIGH PROFILE:** Door features high definition embossment.
- WOOD EDGE:** Solid wood perimeter with J bend on steel provides strength.
- INSULATION:** Polyurethane foam fully insulates the door behind the embossments.
- HINGES:** 4" Residential ball bearing hinges
- FIRE RATINGS:** 20-minute fire rating.
- WARRANTY:** 5-year limited warranty.

Dura Frame and PF Composite Door Jambs



DURA-FRAME™ is: Alaskan Yellow Cypress, one of the planets most durable rot resistant woods, finger jointed to the bottom of premium pine frame component. DURA-FRAME™ is end sealed with DURA-SEAL™, and primer coated with DURA-PRIME™, G-M Wood Products' exclusive high-durability coatings, yielding exceptional value and rot free performance.

Guaranteed for life against ground rot, decay and insect damage.

- Superior paint adhesion
- Superior construction for long-lasting durability
- Superior value - It's economical



The full Composite Frames offer an innovated alternative to traditional door jambs. It provides the Beauty of wood and the strength of steel.

Features and Benefits:

- Moisture- Resistant and prevents warping, rotting, and splitting
- Has twice the screw holding power of traditional wood door frames.
- Continuous piece with no finger joints and is 25% more rigid than wood.
- Can be painted or stained
- Maintenance free & energy efficient



DURA-TECH™ is a 12 mil rigid PVC film bonded with permanent waterproof exterior polyurethane glue to our lifetime rot resistant DURA-FRAME™ substrate system.

DURA-TECH™ offers the strength and rigidity of wood with low maintenance attributes of PVC components.

DURA-TECH™ offers versatility in your finishing options. The UV resistant, impact resistant white with a light stipple finish is a low maintenance prefinished product that can be installed as is, or painted as desired with exceptional results. DURA-TECH™ will make paint peeling issues a thing of the past.

Frontline Aluminum Clad Entry Door Frames

Never paint your Entry Door Frame again!

Heavy Duty - Resists Denting


No Painting - Ever!!!

Limited Lifetime Warranty

Storm Door Ready

Specifications:

- Jamb Depths — 4 9/16 to 11 1/2"
- Aluminum Thickness — .062 gauge (1/16")
- Brickmould Matches #180 wood brickmould




BRICKMOULD ▼

Standard Clad Unit

Includes: Clad Jamb, Brickmould casing and nail fin



Door VI 2248 1P




CROWNLINE ▼

Compliments any style of home, garage or commercial building




OUTSWING ▼

Pre-routed hinge and latch cutouts



3 1/2" FLAT CASING

Matches 1"x4" trim dimensions



3 1/2" FLAT CASING WITH BACKBAND

Backband adds a touch of elegance to the Flat Casing

Stock Colors



White



Sandstone



Eggshell



Almond



Bronze



Green



Terratone



Bahama Brown



Black***



Wineberry**



Gun Metal



Beige**

Special Order Colors
allow 6-8 weeks
lead time.




Notes: Actual color may vary due to printing variation.

** Not available on flat casing and backband.

*** Limited profiles. Contact customer service.

Paint Color Options


Entry Door Stock Colors



Extra White
SW 7006



Hunt Club
SW 6468



Naval
SW 6244



Privilege Green
SW 6193




Smoky Blue
SW 7604




Tricorn Black
SW 6258



Cityscape
SW 7067



Crabby Apple
SW 7592




Peppercorn
SW 7674



Chateau Brown
SW 7510

FrontLine Clad® Colors




Bahama Brown
PMB6715



Almond
PMD8233



Terratone
PMD8236



Sandstone
PMD8237



Bronze
PMM1434



Gun Metal
PMA10093

Colors represented are approximations for color selection purposes only. Always request an official sample prior to production.



PROUDLY FINISHED WITH
SHERWIN-WILLIAMS®
COATINGS

Smoky Blue SW 7604

Stain Color Options and Tru-Loc Anchors



Pure doorglass in medium oak stained door.


Top coating every 18-24 months protects stain color. Samples are available from your local dealer. Shown here are representations.



Cherry



Danish Walnut




English Walnut




Light Oak




Medium Oak




Red Mahogany



Walnut



Weatherwood




Slate



Traditional Oak

TRU-LOC™

WINDOW & DOOR INSTALLATION ANCHORS
RESISTING THE FORCES OF NATURE™



EFFECTIVE • EASY TO USE • ADJUSTABLE • DURABLE

Ideal for door installation on all Clad and Pre-Finished units. No need to nail or screw through pre-finished door jambs.

TRU-LOC™ CLIP

- Securely anchors the door system in the rough opening
- Simple to use
- Keeps the door system plumb and square
- No more drilling through sidelights
- Speeds up installation
- Install the door system right the first time
- Eliminates callbacks
- Saves money



Tru-Loc™ Installation and
Anchor Installation.



TRILENNIUM® 3-POINT LOCKING SYSTEM

POWERED BY
ENDURA
DOOR COMPONENTS MADE IN THE USA

How Trilennium® Works



Trilennium® Hardware



Eclipse Entry Set

SHOWN IN SATIN NICKEL

Available in:



Victorian Bronze* Satin Nickel* Bright Brass Black



Pinnacle Entry Set

SHOWN IN VICTORIAN BRONZE

Available in:



Victorian Bronze* Satin Nickel* Bright Brass



Rectangular Entry Set

SHOWN IN BLACK

Available in:



Victorian Bronze Satin Nickel Black



Horizon Entry Set

SHOWN IN BRIGHT BRASS

Available in:



Victorian Bronze Satin Nickel Bright Brass



PANOLOCK[®]+

MULTI-POINT LOCK

**STRENGTH**

PanoLock offers enhanced strength and security vs. standard locking systems.

**ENHANCED
PERFORMANCE**

Equipped with two tapered locks, PanoLock provides enhanced performance while reducing operation force.

ULTIMATE SECURITY

PanoLock features roller strike plates equipped with extra anchor screws enhancing security.

FLEXIBILITY

PanoLock can be used on both inswing and outswing applications.

AFFORDABLE

PanoLock works with most off the shelf handlesets, dedicated handlesets are not needed.

Rustic Series Fiberglass Doors & Knotty Alder Fiberglass Doors

Discover the difference with brand new door options.

Knotty Alder fiberglass entrance doors are engineered for durability and longevity while replicating the look and texture of real wood doors.

- Constructed of deep-profile fiberglass reinforced skins with stronger dimensions and crisper shadow lines.
- The high-impact compression molded skins are engineered not to crack, splinter, rust, warp, rot or delaminate.
- Full-length 3 1/2" LVL stiles and 1" top/bottom rails
- Square 1/2" Alaskan Yellow Cypress edges give a true wood door appearance and are rot resistant.
- Environmentally-friendly polyurethane core.
- Available in 6-8, 7-0 and 8-0 heights, hinged left or right.
- Limited Lifetime Warranty.



KA2PL



KASK2



KA2PLP





KASD1



3/0 KA2PL Knotty Alder — Two Panel with Arch

RUSTIC SERIES — Our lines of Rustic doors are produced to provide a classic charm while bringing a contemporary appeal to any home. Each door in the Rustic Series contains deep graining and distinct plank detail that resembles true distressed wood without any of the drawbacks. We offer the widest selection of styles and sizes made with architecturally correct stile and rail proportions. Also available in 8' tall.

Door Accessories: Clavos and Straps



Two Panel: 3/0 x 6/8

Square Panel
Square Top



DRA2B

Square Panel
Arch Top,



DRA2D

Panel w/Plank: 3/0 x 6/8

One Panel
Square Plank and Top



DRA1P

Two Panel
Arch Plank Top



DRA2A

Camelia w/ Wrought Iron Frame

Two Panel, Arch Panel



DRA2A - CAM3R4



SLA2B
CAMFL1

Priscilla w/ Wrought Iron Frame

Two Panel, Square Panel & Top



DRA2B - PCL344



SLA2B
PCLFL1

Note: Doors are shown stained for illustration only. Doors come primed color.

Woodgrain and Smooth Fiberglass Craftsman Collection



Dorian - Patina

SF WF



DO2515

SF WF



DO864

Topaz - Patina

SF WF



TPZ2515

SF WF



TPZ864

Paris - Patina

SF WF



PS2515

SF WF



PS864


Crosswalk - Patina

SF WF



CWK2515

SF WF



CWK864

Oak Park - Patina

SF WF



OP2515

SF WF



OP864

Vintage Craftsman - Patina

SF WF



CFT2515

SF WF



CFT864

Laurel - Platinum

SF WF



LAU-PL2515

SF WF



LAU-PL864

Clear Glass

SF WF



K66G

SF WF



CG864


Note: Doors are shown stained for illustration only. Doors come primed color. SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Steel, Fir Grain, & Smooth Fiberglass Shaker Doors



OPTIONAL DENTIL SHELF

SD SF FG



SH1P
Solid

SD SF FG



SH2P
Solid

SD SF FG



SH3P
Solid

SF FG



SH5P
Solid



SD SF FG



SH3CG

SF FG



SH715C

SD SF FG



SH3SDL

SD SF FG



SH6SDL

SF FG



SH7152SDL

SD SF




SH864



SD - Premium Steel • SF - Smooth Fiberglass • FG - Fir Grain Fiberglass — Fiberglass doors are delivered standard unfinished.

Steel, Fir Grain, & Smooth Fiberglass Shaker Doors

Paris-Patina		Monterey-Patina/Nickel		Oak Park-Patina		Topaz-Patina		Riverwood-Patina	
SD SF FG	SD SF	SD SF FG	SD SF	SD SF FG	SD SF	SF FG	SD SF FG	SD SF	SF FG
									
SHPS 2115	SHPS 864	SHMO 2115	SHMO 864	SHOP 2115	SHOP 864	SHOP 715	SHTPZ 2115	SHTPZ 864	SHTPZ 715
Crosswalk-Nickel		Micro-Granite		Dorian-Patina		Vilano-Black		Celeste-Black	
SD SF FG	SD SF	SD SF FG	SD SF	SF FG	SD	SD	SD	SD	SD
									
SHCWK 2115	SHCWK 864	SHMG 2115	SHMG 864	SHMG 715	SHDO 2115	SHDO 864	SHVI 2115	SHVI 864	SHCE 2115
Echo-Silkscreen		Onyx-Patina		Portrait-Patina		Blanca-Silkscreen		Rain	
SD	SD	SD	SD	SD	SD	SD SF FG	SD SF	SF FG	SD SF FG
									
SHEC 2115	SHEC 864	SHON 2115	SHON 864	SHPO 2115	SHPO 864	SHBL 2115	SHBL 864	SHBL 715	SHRN 2115
									SHRN 864
									SHRN 715


SD - Premium Steel • SF - Smooth Fiberglass • FG - Fir Grain Fiberglass — Fiberglass doors are delivered standard unfinished.

Fir Grain Framed Craftsman Fiberglass Doors

Framed Glass with 1" Bar Options (below)



FIR GRAIN SERIES — Enjoy the fine craftsmanship and classic styling of our new Fir Grain doors. Fir Grain doors feature the fine vertical graining characteristics of the Douglas fir which emphasizes the architecturally correct proportions of our fiberglass entry doors.



Solid



Clear



Topaz - Patina FG



Heirlooms - Satin Nickel FG



Oak Park - Patina FG




Cadence - Patina FG




Note: Doors are shown stained for illustration only. Doors come primed color. Door illustrations are shown with optional dentil shelf.

Avenue Patina Collection




TT SD SF WF




AV2236

TT SD SF



AV2236 1P

TT SD SF WF



AV836

TT SD SF WF




AV2248 1P

TT SD SF WF



AV2248

TT SD SF WF




AV848

TT SD SF WF



AV2264

TT SD
SF WF



AV836

TT SD
SF WF



AV848


TT SD
SF WF



AV764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Celeste Patina Collection



high privacy rating

Celeste juxtaposes different types of glass within its patina coming, creating a delicate geometric pattern with a refined and balanced light effect.

TT SD SF WF

CE2236

TT SD SF

CE2236 1P

TT SD SF WF

CE836

TT SD

CE2214
Embossed

TT SD SF WF

CE2248 1P

TT SD SF WF

CE2248

TT SD SF WF

CE848

TT SD SF WF

CE2264

TT SD SF WF

CE836

TT SD SF WF


CE848

TT SD SF WF

CE764


TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Chanelle Patina Collection




Chanelle will bring a stately, elegant and timeless touch to any home, classic or modern. With clean lines and bright bevels, it creates stunning light effects.

TT SD SF WF




CH2236

TT SD SF



CH2236 1P

TT SD SF WF



CH836

TT SD SF WF



CH2248 1P

TT SD SF WF



CH2248

TT SD SF WF



CH2264

TT SD
SF WF



CH836

TT SD
SF WF



CH848

TT SD
SF WF



CH764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Distance Frost V-Groove Collection



TT SD SF WF		TT SD SF WF		TT SD SF WF		TT SD SF WF		TT SD SF		TT SD SF		
DIL2264 Left	DIR2264 Right	DIL2248 1P Left	DIR2248 1P Right	DIL2236 1P Left	DIR2236 1P Right	DIL2248 Left	DIR2248 Right	DIL2236 Left	DIR2236 Right	DI836	DI848	
										DI764		

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Dorian Black Aluminum Patina Collection



Scribble Glass
Gray Soft Wave Black Aluminum Caming Micro Granite Glass



moderate privacy rating

TT SD SF WF



DO2236

TT SD SF



DO2236 1P

TT SD SF WF



DO836

TT SD



DO2214
Embossed

TT SD SF WF




DO2248 1P

TT SD SF WF



DO2248

TT SD SF WF



DO2264

TT SD
SF WF



DO836

TT SD
SF WF



DO848


TT SD
SF WF



DO764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Echo Silkscreen Collection



EC2236



EC2236 1P



EC836




EC2214
Embossed



EC2248 1P



EC2248



EC848



EC2264



EC836




EC848



EC764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Landscape Zinc Collection




Chinchilla : Granite : Waterglass :
Clear Bevel : Zinc Caming : Pebble




high privacy rating

TT SD SF WF




LA2236

TT SD SF



LA2236 1P

TT SD SF WF



LA836

TT SD



LA2214
Embossed

TT SD SF WF



LA2248 1P

TT SD SF WF



LA2248

TT SD SF WF



LA2264

TT SD
SF WF



LA836

TT SD
SF WF



LA848


TT SD
SF WF




LA764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Onyx Patina Collection




TT SD SF WF




ON2236

TT SD SF



ON2236 1P

TT SD SF WF




ON836

TT SD



ON2214
Embossed

TT SD SF WF



ON2248 1P

TT SD SF WF




ON2248

TT SD SF WF



ON848

TT SD SF WF



ON2264

TT SD
SF WF



ON836

TT SD
SF WF



ON848

TT SD
SF WF




ON764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Portrait Patina Collection



Chinchilla Granite Waterglass
Clear Bevel Patina Caming Pebble




TT SD SF WF



PT2236

TT SD SF WF



PT836

TT SD



PT1437

SF



PT1437

WF



PT1437

TT SD



PT2214
Embossed

TT SD SF WF



PT848

TT SD SF WF



PT2248

TT SD SF WF




PT2248 1P

TT SD SF WF



PT2264

TT SD
SF WF



PT836

TT SD
SF WF



PT848

TT SD
SF WF



PT764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass


Pure Silkscreen Collection



Pure adds refinement to your home. An ideal match with black windows and horizontal mullions. The subtle clear lines on this silkscreened glass provide a view to the outdoors while ensuring your privacy.

TT SD SF WF	TT SD SF WF	TT SD SF WF	TT SD SF WF	TT SD SF WF	TT SD SF WF	TT SD SF WF
PU848	PU2248 1P	PU2248	PU2264	PU764	PU848	PU764

Summit Silkscreen and Black Silkscreen Collection



TT SD SF WF




SU2236

TT SD SF




SU2236 1P

TT SD SF WF




SU836

TT SD SF WF



SU2248 1P

TT SD SF WF



SU2248

TT SD SF WF




SU848

TT SD SF WF



SU2264

TT SD
SF WF



SU836

TT SD
SF WF



SU848


TT SD
SF WF



SU764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Villano Patina Collection



TT SD SF WF



VI2236

TT SD SF



VI2236 1P

TT SD SF WF



VI836

TT SD



VI2214
Embossed

TT SD SF WF



VI2248 1P

TT SD SF WF



VI2248

TT SD SF WF



VI848

TT SD SF WF



VI2264

TT SD
SF WF



VI836

TT SD
SF WF



VI848

TT SD
SF WF



VI764

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

ALUMINUM SDL GRILLES



- Aluminum profiles allow minimal expansion and contraction
- Will stand up to any climate: will not crack or split
- We only use 3M™ VHB™ tape for superior adhesion
- Closed halving joint ("dado") for a stronger grille and fully assembled option (applies to 1-1/8" bars)

You can order the White Prefinished Grills or a vinyl wrap grill which is stainable or paintable.



White
AL402 1-1/8"



White
AL403 1-1/8"



White
AL810 3-1/2"



White
AL812 4-1/2"




White
AL813 5-1/2"

Many different grill patterns are available — ask your sales associate for more options.

Blanca Low-E Glass Collection

WV TT SD SF WF



BL2236

WV TT SD SF



BL2236 1P

TT SD



BL2214
Embossed



Textured surface enclosed in glass.

TT SD SF WF



BL2248 1P

WV TT SD SF WF



BL2248

WV TT SD SF WF



BL2264

WV TT SD SF WF



BL836

WV TT
SD SF WF



BL836

WV TT
SD SF WF



BL848

WV TT
SD SF WF



BL764

Micro-Granite Low-E Glass Collection

WV TT SD SF WF



MG2236

WV TT SD SF



MG2236 1P

TT SD



MG2214
Embossed



Textured surface enclosed in glass.

TT SD SF WF



MG2248 1P

WV TT SD SF WF



MG2248

WV TT SD SF WF



MG2264

WV TT
SD SF WF



MG836

WV TT
SD SF WF



MG848

WV TT
SD SF WF




MG764

WV - Pro Series Steel Edge Door • TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass


Rain Low-E Glass Collection

WV TT SD SF WF



RN2236

WV TT SD SF




RN2236 1P

TT SD



RN2214
Embossed




Textured surface enclosed in glass.

TT SD SF WF




RN2248 1P

WV TT SD SF WF




RN2248

WV TT SD SF WF



RN2264

WV TT
SD SF WF



RN836

WV TT
SD SF WF



RN848


WV TT
SD SF WF



RN764


Vapor Low-E Glass Collection

WV TT SD SF WF



VA2236

WV TT SD SF WF



VA2236 1P

TT SD




VA2214
Embossed



Textured Surface Exposed to the inside of the home.

TT SD SF WF



VA2248 1P

WV TT SD SF WF




VA2248

WV TT SD SF WF



VA2264

WV TT
SD SF WF



VA836

WV TT
SD SF WF



VA848

WV TT
SD SF WF



VA764

WV - Pro Series Steel Edge Door • TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Blanca Low-E with SDL Grills

TT SD



BL 2214 3L
Embossed

TT SD



BL 2214 6L
Embossed

WV TT SD SF WF



BL 2236 9L

WV TT SD SF



BL 2236 9L 1P

WV TT
SD SF WF



BL 836 3L



WV TT SD SF WF



BL 2248 4L

TT SD SF WF



BL 2248 4L 1P

WV TT SD SF WF




BL 2248 6L

TT SD SF WF




BL 2248 6L 1P

WV TT SD SF WF



BL 2248 12L

TT SD SF WF




BL 2248 12L 1P

WV TT SD SF WF



BL 2264 6L

WV TT SD SF WF



BL 2264 8L

WV TT SD SF WF



BL 2264 15L

WV TT
SD SF WF



BL 848 2L

WV TT
SD SF WF



BL 848 3L

WV TT
SD SF WF



BL 848 4L

WV TT
SD SF WF



BL 864 3L

WV TT
SD SF WF



BL 864 4L

WV TT
SD SF WF




BL 864 5L

WV - Pro Series Steel Edge Door • TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Micro Granite Low-E with SDL Grills

TT SD



MG 2214 3L
Embossed

TT SD



MG 2214 6L
Embossed

WV TT SD SF WF



MG 2236 9L

WV TT SD SF



MG 2236 9L 1P

WV TT
SD SF WF



MG 836 3L



WV TT SD SF WF



MG 2248 4L

TT SD SF WF



MG 2248 4L 1P

WV TT SD SF WF



MG 2248 6L

TT SD SF WF



MG 2248 6L 1P

WV TT SD SF WF



MG 2248 12L

TT SD SF WF



MG 2248 12L 1P

WV TT SD SF WF



MG 2264 6L

WV TT SD SF WF



MG 2264 8L

WV TT SD SF WF



MG 2264 15L

WV TT
SD SF WF



MG 848 2L

WV TT
SD SF WF



MG 848 3L

WV TT
SD SF WF



MG 848 4L

WV TT
SD SF WF



MG 864 3L

WV TT
SD SF WF



MG 864 4L

WV TT
SD SF WF



MG 864 5L

WV - Pro Series Steel Edge Door • TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Rain Low-E with SDL Grills

TT SD



RN 2214 3L
Embossed

TT SD




RN 2214 6L
Embossed

WV TT SD SF WF



RN 2236 9L 1P

WV TT SD SF



RN 2236 9L 1P

WV TT
SD SF WF



RN 836 3L



WV TT SD SF WF



RN 2248 4L

TT SD SF WF



RN 2248 4L 1P

WV TT SD SF WF



RN 2248 6L

TT SD SF WF



RN 2248 6L 1P

WV TT SD SF WF



RN 2248 12L

TT SD SF WF



RN 2248 12L 1P

WV TT SD SF WF



RN 2264 6L

WV TT SD SF WF



RN 2264 8L

WV TT SD SF WF



RN 2264 15L

WV TT
SD SF WF



RN 848 2L

WV TT
SD SF WF



RN 848 3L

WV TT
SD SF WF



RN 848 4L

WV TT
SD SF WF



RN 864 3L

WV TT
SD SF WF



RN 864 4L

WV TT
SD SF WF



RN 864 5L

WV - Pro Series Steel Edge Door • TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Vapor Low-E with SDL Grills



TT SD



VA 2214 3L
Embossed

TT SD



VA 2214 6L
Embossed

TT SD SF WF



VA 2248 4L 1P

WV TT SD SF WF



VA 2248 4L

TT SD SF WF



VA 2248 6L 1P

WV TT SD SF WF




VA 2248 6L

WV TT SD SF WF



VA 2264 6L

WV TT SD SF WF



VA 2264 8L

WV TT
SD SF WF



VA 848 2L

WV TT
SD SF WF



VA 848 3L

WV TT
SD SF WF



VA 864 3L

WV TT
SD SF WF



VA 864 4L

WV - Pro Series Steel Edge Door • TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Solid Doors, Flush Doors & External Grill Collection

CD WV TT
SD SF WF



D1

CK WV TT
SD SF WF



K1


SD SF WF



K7

True 4-Panel

WV SD



K8

WV TT SD SF



K9

WV TT SD SF



K9A

WV TT SD SF



K9P

SD SF WF



K13

9-Panel

TT SD



K29

SF



K30

WF



K31

TT SD SF WF



K33

TT SD



K35

SD



K36

SD



K50

SF • WF



K66

WV TT SD SF WF



D3

CD WV TT
SD SF WF



D20

CD WV TT
SD SF WF



D21

WV TT SD SF WF



D32

WV TT SD SF WF



D40
10 x 10

WV TT
SD SF WF




D60
15 x 15

WV TT
SD SF WF




D62

WV TT
SD SF WF



D64
22 X 10

WV TT
SD SF WF



D65
22 X 3.5

WV TT
SD SF WF



SD1

WV TT
SD SF WF



S1
All Glass

WV TT
SD SF WF



SD4

WV TT
SD SF WF



SD5

CK - Primed Wood Edge • CD - Primed Wood Edge Door • WV - Pro Series Steel

TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Embossed Clear Glass with External Grills



CK - Primed Wood Edge • CD - Primed Wood Edge Door • WV - Pro Series Steel
TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

White GBG Grills & Prairie GBG Grills



**White Inside
and Out**




Prairie Internal Grill Collection



CK - Primed Wood Edge • CD - Primed Wood Edge Door • WV - Pro Series Steel
TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Low-E Black Grills Between Glass Collection

BLACK GBG
Black Inside
and Out



Two Tone Grills Between Glass Collection - Clear IG Glass



TWO-TONE-
Black Outside
White Inside



Black / White
Not Low-E

CK - Primed Wood Edge • CD - Primed Wood Edge Door • WV - Pro Series Steel
TT - Factory Finished White Steel Wood Edge Door • SD - Premium Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass

Low-E Simulated Divided Lites & Low-E Mini Blinds

Low-E 7/8" Wide Grills
SF WF



K66 3SDL

SF WF



K66 6SDL

Low-E 3/4" Wide Grills

TT SD



2214 3SDL
Embossed

TT SD



2214 6 SDL
Embossed



Low-E 1 1/8" Wide Grills —>

TT SD SF WF



K33 4L SDL

TT SD SF WF



K33 6L SDL

WV TT SD SF WF



K29 4L SDL

WV TT SD SF WF



K29 6L SDL

WV TT SD SF WF



D1 8L SDL

WV TT
SD SF WF



SK8 2L SDL

WV TT
SD SF WF



SK8 3L SDL

WV TT
SD SF WF



SD1 4L SDL

Low-E Mini Blind Collection with Internal Blinds R&L

CK WV
TT SD SF WF



K10 IB R&L

WV TT
SD SF WF



K29 IB R&L

TT SD SF WF



K33 IB R&L

CD WV
TT SD SF WF



D20 IB R&L

WV TT SD SF



K9 IB R&L

WV TT
SD SF WF



SD8 IB
8x64 - R&L

WV TT
SD SF WF



SK2 IB
8x36 - R&L

Low-E Grills Between Glass & Blinds

CK - Primed Wood Edge
CD - Primed Wood Edge
WV - Pro Series Steel
TT - Factory Finished White Steel Wood Edge Door
SD - Premium Steel
SF - Smooth Fiberglass
WF - Woodgrain Fiberglass

Other Mini Blind Colors Available

WV TT SD SF WF



D 21 GBG BL
Internal Blind R&L

WV TT SD SF WF



K4 GBG BL
Internal Blind R&L

WV TT SD SF WF



D22PIM-BL
Internal Blind R&L

WV TT SD SF WF



K6PIM-BL
Internal Blind R&L



TT SD SF WF




P20

TT SD SF WF



P21
P21 GBG

TT SD SF WF



P22 PIM

TT SD SF WF



P8 SDL
1 1/8" Simulated Divided Light • Low E is STD

TT SD SF WF



P21 GBG-BL
Low E is STD

TT SD SF WF




P20IB R+L
Mini Blinds Raise / Lower / Tilt

PLEASE SPECIFY — SD - Steel • SF - Smooth Fiberglass • WF - Woodgrain Fiberglass • TT - Factory Finished Wood Edge


Patio Unit Specifications

Patio Door Configuration


Patio Double




Center Hinge
Right Hand In-Swing



Center Hinge
Left Hand In-Swing




Jamb Hinge
Left Hand In-Swing




Jamb Hinge
Right Hand In-Swing


Patio Triple




Center Hinge
Right Hand In-Swing




Center Hinge
Left Hand In-Swing




Jamb Hinge
Left Hand In-Swing



Jamb Hinge
Right Hand In-Swing



Mull Hinge
Right Hand In-Swing



Mull Hinge
Left Hand In-Swing

To determine handing, view from outside.

New Construction Patio Units Available in Steel, Smooth Fiberglass and Woodgrain Fiberglass

Features & Benefits

- Premium composite adjustable sill.
- Rolling screen (white or sand).
- Q-Lon® weather-strip provides a superior seal.
- Limited lifetime warranty on woodgrain fiberglass.
- 25-year warranty on smooth fiberglass.
- 10-year warranty on steel units.
- See price pages for availability of doors.

Steel and Fiberglass Remodel Size Patio Units

Features & Benefits

- Unit down size to fit into existing aluminum or vinyl sliders.
- Premium composite adjustable sill.
- Rolling screen (white or sand).
- Q-Lon® weather-strip provides a superior seal.
- 10-year warranty on steel units.
- 25-year warranty on smooth fiberglass.
- Limited lifetime warranty on woodgrain fiberglass.
- See price pages for availability of doors.

Rough Opening Chart - New Construction Size Patio Door

Double Unit	Actual Unit Size	Rough Opening	Brick Mold Dimension
5' 0" x 6' 8"	63" x 81-5/8"	63-3/4" x 82"	65-1/2" x 82-7/8"
5' 4" x 6' 8"	67" x 81-5/8"	67-3/4" x 82"	69-1/2" x 82-7/8"
6' 0" x 6' 8"	75" x 81-5/8"	75-3/4" x 82"	77-1/2" x 82-7/8"

Triple Unit

7' 6" x 6' 8"	94-1/2" x 81-5/8"	95-1/4" x 82"	97" x 82-7/8"
9' 0" x 6' 8"	112-1/2" x 81-5/8"	113-1/4" x 82"	115" x 82-7/8"

Rough Opening Chart - Remodel Size Patio Door

Double Unit	Actual Unit Size	Rough Opening	Brick Mold Dimension
5' 0" x 6' 8"	59" x 79-5/8"	59-3/4" x 80"	61-1/2" x 80-7/8"
6' 0" x 6' 8"	71" x 79-5/8"	71-3/4" x 80"	73-1/2" x 80-7/8"

Triple Unit

7' 6" x 6' 8"	88-1/2" x 79-5/8"	89-1/4" x 80"	91" x 80-7/8"
9' 0" x 6' 8"	106-1/2" x 79-5/8"	107-1/4" x 80"	109" x 80-7/8"

When It's Time to Replace the Old and Welcome the New ...

The first thing people notice about any house is the front door.

What does your door say about you?

Welcome to the Homeowners Remodeler Series of replacement doors from Perma-Door.

- Choose from dozens of doors with Wall-Vern's Decorative Lites Collections for a beautiful new entrance.
- Enjoy great security with steel framed doors that surpass the most stringent forced entry tests.
- Benefit from the energy-saving advantage of Q-Lon weather-stripping and adjustable threshold.
- These top quality replacement doors are engineered to fit over your existing wood door frame.
- Perma-Door's exclusive adjustable hinge system ensures a perfect fit every time.
- 22-gauge hot-dipped galvanized steel & all-steel edge for durability.



Replacement Door Measurements

Size	Width		Height	
	Min	Max	Min	Max
2'5"x 6'7"	29-5/8"	30-1/2"	80"	80-1/2"
2'7"x 6'7"	31-5/8"	32-1/2"	80"	80-1/2"
2'9"x 6'7"	33-5/8"	34-1/2"	80"	80-1/2"
2'11"x 6'7"	35-5/8"	36-1/2"	80"	80-1/2"

Replacement Door Diagrams




Featuring Perma-Door Steel Edge Door & The Fitted Frame™ 90-Minute Adjustable Steel Frame

Fitted Frame with Kerfed Weatherstripping

Fitted Frame™ is an adjustable throat steel door frame designed for prehung applications. It's designed for residential, new or remodeling construction, and for light commercial applications.

- 4-1/2" to 8-1/2" wall sizes (1" adjustment).
- 5/8" stop height.
- Galvanized (A-40) steel per ASTM-653.
- Prepped with anchoring holes with vision slot for wood casing.
- Embossed 90 minute neutral or positive pressure fire label; wood or steel stud. See fire ratings.
- Base Kit - 18 gauge
- Trim Kit -
22 gauge for 4-1/2" to 5-1/2" and
5-1/2" to 6-1/2" wall size
18 gauge for 6-1/2" to 8-1/2" wall sizes.
- All frames are white in color
- 6'8" inswing and handicap frames
- Available in four wall sizes -
4-1/2" to 5-1/2"
5-1/2" to 6-1/2"
6-1/2" to 7-1/2"
7-1/2" to 8-1/2"
- Inswing handicap frames include a 1/2" x 5" handicap aluminum threshold.
- 1-1/2" prefinished white steel casing available.
- Includes Kerf-style being foam weatherstrip.



Perma-Door Features:

- All steel edge construction for strength and durability.
- 22-gauge galvanized steel for excellent rust prevention.
- Solid polyurethane foam core with an R-value of 13.0.
- Doors are available with a maximum 90 minute fire rating, both positive and neutral pressure. Available up to 3'0" x 8'0".
- UL10C and UL 10B code compliance.
- Handicap ADA threshold.

Fitted Frame Steel Frame Features:


- Two-piece construction for adjustability and easy installation.
- Frames are available with a maximum 90-minute fire rating, both positive and neutral pressure. Available up to 3'0" x 8'0".
- UL10C and UL 10B code compliance.
- Optional prefinished white steel casing available.

Fitted Frame Hurricane Resistant Testing:

- Test Standards - ASTM 1886, ASTM 1996, DADETAS201, DADETAS202, DADETAS 203.
- Tested to - DP +66.0 psf / -66.0 psf.

To protect what you value most - the Perma-Door's steel edge entry doors carry a maximum 90 minute fire rating. Perma-Doors can be prehung in a 90-minute Fitted Frame adjustable steel frame, which installs easily into varying wall thicknesses. The steel frame is a two-piece construction, consisting of a base and a trim frame.

The prehung door with base attachments is installed in the opening. The closure frame is then attached from the opposite side. Optional wood trim is then nailed in place. Steel trim is fastened with clips. For ease of installation and the industry's highest fire and security rating, choose the Perma-Door steel edge door and the Fitted Frame adjustable steel frame.



Entry Door Specifications

6'8" HIGH FIBERGLASS & STEEL DOORS

New Construction Rough Opening Dimensions - Swing In Doors
Wood Frame Unit

Door Size	Opening Type	Width	Height	w/14 "Sidelite*	
				Single	Double
2' 6" x 6' 8"	Rough Opening	2' 8-1/4"	6' 10"	3' 11-3/4"	5' 3-1/4"
	Brick Dimension **	2' 10"	6' 10-7/8"	4' 1-1/2"	5' 5"
2' 8" x 6' 8"	Rough Opening	2' 10-1/4"	6' 10"	4' 1-3/4"	5' 5-1/4"
	Brick Dimension **	3' 0"	6' 10-7/8"	4' 3-1/2"	5' 7"
2' 10" x 6' 8"	Rough Opening	3' 0-1/4"	6' 10"	4' 3-3/4"	5' 7-1/4"
	Brick Dimension **	3' 2"	6' 10-7/8"	4' 5-1/4"	5' 9"
3' 0" x 6' 8"	Rough Opening	3' 2-1/4"	6' 10"	4' 5-3/4"	5' 9-1/4"
	Brick Dimension **	3' 4"	6' 10-7/8"	4' 7-1/2"	5' 11"
3' 6" x 6' 8"	Rough Opening	3' 8-1/4"	6' 10"	4' 11-3/4"	6' 3-1/4"
	Brick Dimension **	3' 10"	6' 10-7/8"	5' 1-1/2"	6' 5"
5' 0" x 6' 8"	Rough Opening	5' 2-3/4"	6' 10"	6' 6-1/4"	7' 9-3/4"
	Brick Dimension **	5' 4-1/2"	6' 10-7/8"	6' 8"	7' 11-1/2"
5' 4" x 6' 8"	Rough Opening	5' 6-3/4"	6' 10"	6' 10-1/4"	8' 1-3/4"
	Brick Dimension **	5' 8-1/2"	6' 10-7/8"	7' 0"	8' 3-1/2"
6' 0" x 6' 8"	Rough Opening	6' 2-3/4"	6' 10"	7' 6-1/4"	8' 9-3/4"
	Brick Dimension **	6' 4-1/2"	6' 10-7/8"	7' 8"	8' 11-1/2"
Sidelite Only	Rough Opening	n/a	6' 10"	1' 4-1/4"	n/a
	Brick Dimension **	n/a	6' 10-7/8"	1' 6"	n/a

7'0" HIGH FIBERGLASS & STEEL DOORS

New Construction Rough Opening Dimensions - Swing In Doors
Wood Frame Unit

Door Size	Opening Type	Width	Height	w/14 "Sidelite*	
				Single	Double
2' 8" x 7' 0"	Rough Opening	2' 10-1/4"	7' 2"	4' 1-3/4"	5' 5-1/4"
	Brick Dimension **	3' 0"	7' 2-7/8"	4' 3-1/2"	5' 7"
3' 0" x 7' 0"	Rough Opening	3' 2-1/4"	7' 2"	4' 5-3/4"	5' 9-1/4"
	Brick Dimension **	3' 4"	7' 2-7/8"	4' 7-1/2"	5' 11"
5' 4" x 7' 0"	Rough Opening	5' 6-3/4"	7' 2"	6' 10-1/4"	8' 1-3/4"
	Brick Dimension **	5' 8-1/4"	7' 2-7/8"	7' 0"	8' 3-1/2"
6' 0" x 7' 0"	Rough Opening	6' 2-3/4"	7' 2"	7' 6-1/4"	8' 9-3/4"
	Brick Dimension **	6' 4-1/2"	7' 2-7/8"	7' 8"	8' 11-1/2"
Sidelite Only	Rough Opening	n/a	7' 2"	1' 4-1/4"	n/a
	Brick Dimension **	n/a	7' 2-7/8"	1' 6"	n/a

8'0" HIGH FIBERGLASS & STEEL DOORS

New Construction Rough Opening Dimensions - Swing In Doors
Wood Frame Unit

Door Size	Opening Type	Width	Height	w/14 "Sidelite*	
				Single	Double
2' 8" x 8' 0"	Rough Opening	2' 10-1/4"	8' 2"	4' 1-3/4"	5' 5-1/4"
	Brick Dimension **	3' 0"	8' 2-7/8"	4' 3-1/2"	5' 7"
3' 0" x 8' 0"	Rough Opening	3' 2-1/4"	8' 2"	4' 5-3/4"	5' 9-1/4"
	Brick Dimension **	3' 4"	8' 2-7/8"	4' 7-1/2"	5' 11"
5' 4" x 8' 0"	Rough Opening	5' 6-3/4"	8' 2"	6' 10-1/4"	8' 1-3/4"
	Brick Dimension **	5' 8-1/2"	8' 2-7/8"	7' 0"	8' 3-1/2"
6' 0" x 8' 0"	Rough Opening	6' 2-3/4"	8' 2"	7' 6-1/4"	8' 9-3/4"
	Brick Dimension **	6' 4-1/2"	8' 2-7/8"	7' 8"	8' 11-1/2"
Sidelite Only	Rough Opening	n/a	8' 2"	1' 4-1/4"	n/a
	Brick Dimension **	n/a	8' 2-7/8"	1' 6"	n/a

* = If using 12" sidelite, subtract 2" from the opening width for a single sidelite, and 4" for double sidelites.

** = Brick dimension is measured from outside edge of brickmold on door unit.

NOTE: For swing-out doors, subtract 1/2" from rough opening height

NOTE: Subtract 3/4" from rough opening width and 3/8" from height for actual unit size.

Handing Chart

Swing Out Doors



Swing In Doors



To determine door handing view door from outside.



Classic steel door with Summit doorlights.

Distributed by:
WALL- VERN PRODUCTS, INC.
<https://wallvernproducts.net>

